L Number	Hits	<u></u>	DB	Time stamp
-	3920	(717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.	USPAT; US-PGPUB; EPO; JPO;	2003/03/12 17:38
-	23540	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/12 17:41
-	622	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 17:50
-	189		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/12 17:43
-	17161	(((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 12:19
-	3114	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 17:52
-	482	((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:55
-	519	(symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 08:55
-	4	(((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))) and ((symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:21
-	187	((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 12:20
-	3	<pre>(pars\$4 same (encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same ((source adj2 file) or code))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 18:27

_	25	<pre>((((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)) and ((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105))) or ((((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:54
-	10	(((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))) (encod\$4 near4 ((text adj2 string) or	USPAT;	2003/03/12
		(symbol adj2 name\$1))) and ((reduc\$4 or optimi\$7) near4 (storage or size))	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	18:58
-	101	(RLE or "run length encoding") and (compiler\$1 or linker\$1 or (optimi\$7 same compil\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 08:54
-	520	(symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 16:59
-	1106	<pre>((data or variable\$1 or symbol\$1) near4 (compaction or compression or encod\$4)) and (compiler\$1 same (code or translat\$4 or link\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13
-	168	<pre>(((data or variable\$1 or symbol\$1) near4 (compaction or compression or encod\$4)) and (compiler\$1 same (code or translat\$4 or link\$4))) and ((differential adj3 encod\$4) or (length near4 encod\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 14:34
-	8033	((non-different\$5 and different\$4) or ((full or differential) adj2 length)) near4 encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 12:19
-	17163	(((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 12:20
_	13	((differential adj3 encod\$4) and (compil\$5 same symbols))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 13:32
	7	((US-5551020-\$ or US-4931928-\$ or US-5930508-\$ or US-6240409-\$ or US-6055273-\$ or US-5969647-\$ or US-5874907-\$ or US-5768592-\$ or US-5659753-\$ or US-5511159-\$ or US-5291583-\$ or US-4567464-\$ or US-5182709-\$ or US-6163811-\$ or US-6023761-\$ or US-6457173-\$ or US-6463521-\$ or US-6457173-\$ or US-6356950-\$ or US-6021275-\$ or US-5812850-\$ or US-5764987-\$ or US-5613117-\$ or US-6442680-\$ or US-5613117-\$ or US-6442680-\$ or US-561369-\$ or US-5629770-\$).did. or (US-20010013093-\$).did.) and (((variable\$1 or symbol\$1) near3 length) same encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:08
-	172	<pre>compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 16:59

	7	100		1 2222 /22 /22
-	500	compiler\$1 and ((encod\$5 same decod\$5)	USPAT;	2003/03/13
	1	<pre>near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))</pre>	US-PGPUB; EPO; JPO;	14:34
		operation instructionally	DERWENT;	
			IBM_TDB	
-	175		USPĀT;	2003/03/13
	1	decrypt\$5) near8 (symbol\$1 or data or	US-PGPUB;	14:35
		variable\$1 or operand\$1 or	EPO; JPO;	
		instruction(1))) or (compiler(1) and ((DERWENT;	
		encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or	IBM_TDB	
		instruction(1)))) and ((differential		
	1	adj3 encod\$4) or (length near4 encod\$4))		
_	112	(((compiler\$1 and ((encrypt\$5 same	USPAT;	2003/03/13
	1	decrypt\$5) near8 (symbol\$1 or data or	US-PGPUB;	14:35
		variable\$1 or operand\$1 or	EPO; JPO;	
1		instruction(1))) or (compiler(1 and ((DERWENT;	
		encod\$5 same decod\$5) near8 (symbol\$1 or	IBM_TDB	
	1	data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential		
		adj3 encod\$4) or (length near4		
		encod\$4))) and (@ad<=19991105 or		
-		@rlfd<=19991105)		
-	19	((((compiler\$1 and ((encrypt\$5 same	USPAT;	2003/03/13
		decrypt\$5) near8 (symbol\$1 or data or	US-PGPUB;	15:01
		variable\$1 or operand\$1 or	EPO; JPO;	
		instruction(1))) or (compiler(1) and ((DERWENT;	
1		encod\$5 same decod\$5) near8 (symbol\$1 or	IBM_TDB	
		data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential		
1		adj3 encod\$4) or (length near4		
1		encod\$4))) and (@ad<=19991105 or		
]	@rlfd<=19991105)) and (object-oriented		
		or container\$1 or (name adj space))		
-	4	((delta near5 encod\$4) same (symbol\$1 or	USPAT;	2003/03/13
1		data)) and (compiler\$1 and	US-PGPUB;	16:03
		object-oriented)	EPO; JPO;	
			DERWENT; IBM TDB	
_	4	(compress\$5 near4 (object adj3 file))	USPAT;	2003/03/13
	1	same compiler	US-PGPUB;	16:58
			EPO; JPO;	= - ·
			DERWENT;	
			IBM_TDB	
-	9	(USPAT;	2003/03/13
		information)) near4 (object near5 file\$1)	US-PGPUB;	16:42
		· ·	EPO; JPO;	
			DERWENT; IBM TDB	
-	12	(encod\$4 adj3 (variable\$1 or symbol\$1))	USPAT;	2003/03/14
		and (extended adj2 format)	US-PGPUB;	10:24
			EPO; JPO;	
	ĺ		DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	100	(encod\$4 adj3 (variable\$1 or symbol\$1 or	USPAT;	2003/03/14
		data)) and (extended adj2 format)	US-PGPUB; EPO; JPO;	10:27
			DERWENT;	
			IBM TDB	
-	14	(Huffman adj3 encoding) and (percent	USPAT;	2003/03/14
		near6 compression)	US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT;	
_	1.0	/ dolta mana amadés) and //	IBM_TDB	2002/02/14
-	16	(delta near3 encod\$5) and ((percent or "%") near4 (size or compression))	USPAT; US-PGPUB;	2003/03/14 15:32
		o , heary (Size of Complession))	EPO; JPO;	13:34
1			DERWENT;	
			IBM TDB	

Page 3

C:\APPS\EAST\Workspaces\09649270.wsp

-	0	<pre>(compress\$4 near4 (program adj2 symbol)) and (debugger near2 information) and</pre>	USPAT; US-PGPUB;	2003/08/01 13:21
		compiler	EPO; JPO;	13.21
_			DERWENT;	
T			IBM_TDB	
-	1	(compress\$4 near6 ((program or code) adj2	USPAT;	2003/08/01
		symbol\$1)) and (debugger) and compiler	US-PGPUB; EPO; JPO;	13:25
			DERWENT;	
			IBM TDB	
-	1	(compress\$4 near6 ((program or code) adj2	USPAT;	2003/08/01
		symbol\$1)) and ((debugger or compiler)	US-PGPUB;	13:26
		near4 information)	EPO; JPO; DERWENT;	
			IBM TDB	
-	7761	(compress\$4 near4 (program or code or	USPAT;	2003/08/01
		application or "source code")).ab.	US-PGPUB;	14:27
			EPO; JPO;	
			DERWENT; IBM TDB	
_	401	((compress\$4 near4 (program or code or	USPAT;	2003/08/01
		application or "source code")).ab.) and	US-PGPUB;	13:42
		((variable\$1 or symbol\$1) near4	EPO; JPO;	
		compress\$4)	DERWENT; IBM TDB	
_	2	(((compress\$4 near4 (program or code or	USPAT;	2003/08/01
		application or "source code")).ab.) and	US-PGPUB;	14:30
		((variable\$1 or symbol\$1) near4	EPO; JPO;	
		compress\$4)) and (@ad<=19991105 or	DERWENT;	
1_		@rlad<=19991105) and 717/\$ ((compress\$4 near4 (program or code or	IBM_TDB USPAT;	2003/08/01
		application or "source code")).ab.) and	US-PGPUB;	14:16
		((compiler or debug\$5) near4 information)	EPO; JPO;	
			DERWENT;	
	2	 (compiler adj2 (product\$1 or	IBM_TDB USPAT;	2003/08/01
-	2	information)) same (compressed or tar or	US-PGPUB;	14:23
		gzip or zip)	EPO; JPO;	
			DERWENT;	
	3	 (JIT same (jar adj2 file))	IBM_TDB USPAT;	2003/08/01
-	,	(011 Same ()ar adj2 lile/)	US-PGPUB;	14:25
			EPO; JPO;	
	1		DERWENT;	
	4730	/	IBM_TDB	2002/00/01
-	4730	(compress\$4 near4 (program or code or "source code")).ab.	USPAT; US-PGPUB;	2003/08/01 14:27
			EPO; JPO;	- • • • •
			DERWENT;	
			IBM_TDB	2002/09/01
-	27	compiler and (@ad<=19991105 or @rlad<=19991105) and ((compress\$4 near4	USPAT; US-PGPUB;	2003/08/01 15:16
		(program or code or "source code")).ab.)	EPO; JPO;	
		,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT;	
	2.5	/	IBM_TDB	2002/00/01
-	35	<pre>(compress\$4 near4 ((program or table or code) adj2 (symbol\$1 or variable\$1))).ab.</pre>	USPAT; US-PGPUB;	2003/08/01 14:32
		code, ddj2 (Symbolvi or variablevi)); db.	EPO; JPO;	
			DERWENT;	
		/#5065400# L #5007400# L #5600006# L	IBM_TDB	0003/00/01
-	. 19	("5065400" "5307498" "5600836" "5630118" "5644762" "5668989"	USPAT	2003/08/01
		3630116		11.32
		"5794048" "5808889" "5809500"		
1		"5838979" "5852824" "5878422"		
		"5915116" "5930782" "5950197" "5956510").PN.		
_	3	1	USPAT	2003/08/01
1			~ 	14:36
-	3	5881151.URPN.	USPAT	2003/08/01
	<u> </u>			14:37

-	18	("3925780" "4070694" "4150400" "4276544" "4542413" "4633312"	USPAT	2003/08/01 14:41
-	19	"5630118" "5644762" "5668989" "5742828" "5758336" "5758346" "5794048" "5808889" "5809500" "5838979" "5852824" "5878422" "5915116" "5930782" "5950197"	USPAT	2003/08/01 15:13
-	43	"5956510").PN. (pars\$4 near4 (program or source) adj3 (code or language or text)) same (page or browser or HTML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 15:16
-	5	compiler and (@ad<=19991105 or @rlad<=19991105) and ((pars\$4 near4 (program or source) adj3 (code or language or text)) same (page or browser or HTML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 15:21
-	12	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 15:23
-	0	(compress\$4 near8 ((program adj3 symbol) near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:23
-	443	<pre>(compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:24
-	0	(((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (differential near4 encod\$4)) and (compiler and (reduc\$4 near8 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:26
-	1	((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (compiler and (reduc\$4 near8 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/20 14:26
-	53	((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (differential near4 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/20 15:30
_	5	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/20 16:53
-	734		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/20 16:56
-	74	((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)) and compiler and encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/20 16:59

-	15	(((compress\$4 near8 (variable or symbol	USPAT;	2004/02/20
	İ	or pointer or "data structure")) and	US-PGPUB;	17:08
		(@ad<=19991105 or @rlad<=19991105) and	EPO; JPO;	
		(717/\$ or 709/\$ or 707/\$)) and compiler	DERWENT;	
	,	and encod\$4) and 717/\$	IBM_TDB	
-	1895	((710/68) or (709/247) or	USPAT;	2004/02/20
		(707/101)).CCLS.	US-PGPUB;	17:08
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	178	((compress\$4 near8 (variable or symbol or	USPĀT;	2004/02/20
		pointer or "data structure")) and	US-PGPUB;	17:08
		(@ad<=19991105 or @rlad<=19991105) and	EPO; JPO;	
		(717/\$ or 709/\$ or 707/\$)) and $(((710/68))$	DERWENT;	
		or (709/247) or (707/101)).CCLS.)	IBM TDB	
_	7	(((compress\$4 near8 (variable or symbol	USPAT;	2004/02/20
	Ι ΄	or pointer or "data structure")) and	US-PGPUB;	17:11
		(@ad<=19991105 or @rlad<=19991105) and	EPO; JPO;	
		(717/\$ or 709/\$ or 707/\$)) and (((710/68)	DERWENT;	
		or (709/247) or (707/101)).CCLS.)) and	IBM TDB	
		717/\$	****-***	
l _	53		USPAT;	2004/02/20
1	33	US-5559722-\$ or US-5539663-\$ or	US-PGPUB;	17:11
		US-5539662-\$ or US-5537338-\$ or	DERWENT	17:11
		US-5535138-\$ or US-5532940-\$ or	DUNWUMI	
		US-5528238-\$ or US-5493514-\$ or		
		US-5493513-\$ or US-5440345-\$ or		
		US-5428395-\$ or US-5408328-\$ or]	
		US-5377051-\$ or US-5327248-\$ or	1	
		US-5241382-\$ or US-5235419-\$ or		
		US-5227876-\$ or US-5122875-\$ or		1
		US-5111292-\$ or US-5027214-\$ or		
		US-4951140-\$ or US-4868653-\$ or]
		US-4823201-\$ or US-4785349-\$).did. or		
Į		(US-3716851-\$ or US-6603884-\$ or		
	[US-6477202-\$ or US-6459816-\$ or		
		US-6266449-\$ or US-6219457-\$ or	İ	
	[US-6246449-\$ OF US-6219457-\$ OF US-6141486-\$ OF US-6124995-\$ OF		
		US-6141486-\$ Of US-6124993-\$ Of US-6100826-\$ or US-6014493-\$ or		
i		US-5986710-\$ or US-5933567-\$ or		
	1	US-5903669-\$ or US-5805762-\$ or		
		US-5777812-\$ or US-5729649-\$ or US-5729648-\$ or US-5699117-\$ or		
	1		1	
	1	US-5687275-\$ or US-5623344-\$ or	!	
	1	US-5617142-\$).did. or (US-20010048719-\$		
		or US-20010043752-\$ or US-20030198397-\$		
		or US-20030012445-\$ or		
	1	US-20020191855-\$).did. or		
	L	(US-5241382-\$).did.	L	<u> </u>

1、日本本の

-	5	((US-5583650-\$ or US-5576902-\$ or	USPAT;	2004/02/20
i		US-5559722-\$ or US-5539663-\$ or	US-PGPUB;	17:12
		US-5539662-\$ or US-5537338-\$ or US-5535138-\$ or US-5532940-\$ or	EPO; JPO; DERWENT;	
		US-5528238-\$ or US-5493514-\$ or	IBM TDB	
		US-5493513-\$ or US-5440345-\$ or	1011_100	
		US-5428395-\$ or US-5408328-\$ or		
		US-5377051-\$ or US-5327248-\$ or		
		US-5241382-\$ or US-5235419-\$ or		
		US-5227876-\$ or US-5122875-\$ or		
		US-5111292-\$ or US-5027214-\$ or		
		US-4951140-\$ or US-4868653-\$ or		
		US-4823201-\$ or US-4785349-\$).did. or		
		(US-3716851-\$ or US-6603884-\$ or		
		US-6477202-\$ or US-6459816-\$ or		
		US-6266449-\$ or US-6219457-\$ or		
		US-6141486-\$ or US-6124995-\$ or US-6100826-\$ or US-6014493-\$ or		
		US-5986710-\$ or US-5933567-\$ or		
		US-5903669-\$ or US-5805762-\$ or		
		US-5777812-\$ or US-5729649-\$ or		
		US-5729648-\$ or US-5699117-\$ or		
		US-5687275-\$ or US-5623344-\$ or		
		US-5617142-\$).did. or (US-20010048719-\$		
		or US-20010043752-\$ or US-20030198397-\$		
		or US-20030012445-\$ or		
		US-20020191855-\$).did. or		
	1	(US-5241382-\$).did.) and ((((compress\$4		
i		near8 (variable or symbol or pointer or		
		"data structure")) and (@ad<=19991105 or		•
		@rlad<=19991105) and (717/\$ or 709/\$ or		
		707/\$)) and (((710/68) or (709/247) or		
		(707/101)).CCLS.)) or ((compress\$4 near8		
		(variable or symbol or pointer or "data structure")) and (@ad<=19991105 or		
		@rlad<=19991105) and (717/\$ or 709/\$ or		
1		Griad(=19991105) and (717/3 Of 709/3 Of 707/\$)))		
_	27	((transmi\$5 or distribut\$5) near3	USPAT;	2004/02/21
	"	((compiler or compil\$4) adj2 (data or	US-PGPUB;	13:04
		content or information))) same (encod\$4	EPO; JPO;	
		or pack\$5 or compress\$4 or zip\$5)	DERWENT;	
			IBM_TDB	
-	31		USPAT;	2004/02/21
		((compiler or compil\$4) adj2 (data or	US-PGPUB;	13:05
	İ	content or information or code))) same	EPO; JPO;	
		(encod\$4 or pack\$5 or compress\$4 or	DERWENT;	
_	21	zip\$5) (((transmi\$5 or distribut\$5) near3	IBM_TDB USPAT;	2004/02/21
	21	((compiler or compil\$4) adj2 (data or	US-PGPUB;	13:20
	1	content or information or code))) same	EPO; JPO;	
		(encod\$4 or pack\$5 or compress\$4 or	DERWENT;	
		zip\$5)) and (@ad<=19991105 or	IBM_TDB	
	1	@rlad<=19991105)		
-	1	((((transmi\$5 or distribut\$5) near3	USPAT;	2004/02/21
		((compiler or compil\$4) adj2 (data or	US-PGPUB;	13:12
	1	content or information or code))) same	EPO; JPO;	
		(encod\$4 or pack\$5 or compress\$4 or zip\$5)) and (@ad<=19991105 or	DERWENT; IBM TDB	
		21p35); and (ead<-19991105 of @rlad<=19991105)) and compiler	1551_155	
-	9	I	USPAT	2004/02/21
	1	"5551051" "5586323" "5590329"		13:11
	1	"5590331" "5644709" "5761477").PN.		
-	3	1 ' '	USPAT;	2004/02/21
		"5551051" "5586323" "5590329"	US-PGPUB;	13:20
		"5590331" "5644709" "5761477").PN.)	EPO; JPO;	
		and (compress\$4 and encod\$4)	DERWENT;	
	1	(differential mann) cread(A) and	IBM_TDB	2004/02/21
1	8	(differential near2 encod\$4) and (compress\$4 and compiler)	USPAT; US-PGPUB;	2004/02/21 14:58
1	1	(complessive and complifier)	EPO; JPO;	13.50
			DERWENT;	
			IBM TDB	
		<u> </u>		

	1 0	1//3:55	TVG D D M	1 2004 (02 (21
-	8	((differential near2 encod\$4) and (compress\$4 and compiler)) and	USPAT; US-PGPUB;	2004/02/21
		(@ad<=19991105 or @rlad<=19991105)	EPO; JPO;	14.45
		(ead(=15551105 OF effact=15551105)	DERWENT;	
			IBM TDB	
_	49	(US-6460047-\$ or US-6457173-\$ or	USPAT;	2004/02/21
		US-6456308-\$ or US-6442680-\$ or	US-PGPUB	13:25
		US-6408331-\$ or US-6393569-\$ or		
		US-6243856-\$ or US-6145069-\$ or		
		US-5991713-\$ or US-5930508-\$ or		
		US-6449764-\$ or US-4931928-\$ or		
		US-6240409-\$ or US-6055273-\$ or		
		US-5969647-\$ or US-5923880-\$ or		
		US-5874907-\$ or US-5768592-\$ or		
		US-5659753-\$ or US-5613117-\$ or		
	l	US-5511159-\$ or US-5291583-\$ or US-5182709-\$ or US-6021275-\$ or		
	1	US-5551020-\$ or US-6408428-\$).did. or		
		(US-6356950-\$ or US-5640559-\$ or		
		US-6101580-\$ or US-5036457-\$ or		
1	1	US-5717912-\$ or US-5953526-\$ or		
		US-5940615-\$ or US-5745058-\$ or		
		US-6163811-\$ or US-6023761-\$ or		
		US-5986707-\$ or US-6463521-\$ or		
	ļ	US-5764987-\$ or US-5909579-\$ or		
		US-5629770-\$ or US-6225922-\$ or		1
		US-6005503-\$ or US-6151618-\$ or		
		US-4667290-\$ or US-5537551-\$).did. or		
	1	(US-20020184398-\$ or US-20030191792-\$ or US-20010047394-\$).did.		
1_	8	((US-6460047-\$ or US-6457173-\$ or	USPAT;	2004/02/21
	· ·	US-6456308-\$ or US-6442680-\$ or	US-PGPUB;	14:29
	ŀ	US-6408331-\$ or US-6393569-\$ or	EPO; JPO;	11.23
		US-6243856-\$ or US-6145069-\$ or	DERWENT;	
		US-5991713-\$ or US-5930508-\$ or	IBM TDB	
		US-6449764-\$ or US-4931928-\$ or	-	
		US-6240409-\$ or US-6055273-\$ or		
		US-5969647-\$ or US-5923880-\$ or		
		US-5874907-\$ or US-5768592-\$ or		
		US-5659753-\$ or US-5613117-\$ or		
		US-5511159-\$ or US-5291583-\$ or US-5182709-\$ or US-6021275-\$ or		
		US-5551020-\$ or US-6408428-\$).did. or		
		(US-6356950-\$ or US-5640559-\$ or		
		US-6101580-\$ or US-5036457-\$ or		1
		US-5717912-\$ or US-5953526-\$ or		
		US-5940615-\$ or US-5745058-\$ or		
		US-6163811-\$ or US-6023761-\$ or		
1		US-5986707-\$ or US-6463521-\$ or		
		US-5764987-\$ or US-5909579-\$ or		
		US-5629770-\$ or US-6225922-\$ or		
		US-6005503-\$ or US-6151618-\$ or US-4667290-\$ or US-5537551-\$).did. or		
		(US-20020184398-\$ or US-20030191792-\$ or		
		US-20010047394-\$).did.) and (compress\$4		
		and encod\$4) and (compil\$3 same		
		(download\$4 or transmi\$6 or distribut\$4))		
-	4	6163811.URPN.	USPAT	2004/02/21
				14:25
-	20	("4386416" "4558413" "4912637"	USPAT	2004/02/21
		"5357631" "5495610" "5530645"		14:28
1		"5574906" "5715454" "5761499"		
1		"5813017" "5832520" "5845077" "5884014" "5903897" "5905896"		ļ
1		"5991713" "5999949" "6011905"		
1		3991713 3999949 6011903 "6012063" "6018747").PN.		
	1	·	<u> </u>	L

-	11	(("4386416" "4558413" "4912637"	USPAT;	2004/02/21
		"5357631" "5495610" "5530645"	US-PGPUB;	14:29
		"5574906" "5715454" "5761499"	EPO; JPO;	
		"5813017" "5832520" "5845077" "5884014" "5903897" "5905896"	DERWENT;	
		"5991713" "5999949" "6011905"	IBM_TDB	
		"6012063" "6018747").PN.) and		
		(compress\$4 and encod\$4)		
_	5		USPAT;	2004/02/21
		"5357631" "5495610" "5530645"	US-PGPUB;	14:41
		"5574906" "5715454" "5761499"	EPO; JPO;	
		"5813017" "5832520" "5845077"	DERWENT;	
		"5884014" "5903897" "5905896"	IBM TDB	
		"5991713" "5999949" "6011905"	_	
		"6012063" "6018747").PN.) and		
		(compress\$4 and encod\$4)) and compil\$3		
-	5123		USPAT;	2004/02/21
		and Huffman and run-length) or	US-PGPUB;	15:03
		(differential or predictive)) near2	EPO; JPO;	
		(coding or encod\$4))	DERWENT; IBM TDB	
_	5123	(compil\$4 or compress\$4) and	USPAT;	2004/02/21
-	3123	(((differential or predictive)) near2	US-PGPUB;	14:45
		((\differential of predictive), hears (coding or encod\$4))	EPO; JPO;	13.30
		(DERWENT;	
			IBM TDB	
-	2124	(compil\$4 or compress\$4) and	USPAT;	2004/02/21
		(((differential or predictive)) near2	US-PGPUB;	14:56
		(encod\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	1 ' '	USPAT;	2004/02/21
		(((differential or predictive)) near2	US-PGPUB;	15:07
		(encod\$4))) and (@ad<=19991105 or	EPO; JPO;	
		@rlad<=19991105) and compiler	DERWENT; IBM TDB	
_	1	(((compil\$4 or compress\$4) and	USPAT;	2004/02/21
	_	(((differential or predictive)) near2	US-PGPUB;	14:45
		(encod\$4))) and (@ad<=19991105 or	EPO; JPO;	
		@rlad<=19991105) and compiler) and 717/\$	DERWENT;	
İ	1	-	IBM TDB	
-	4		USPĀT	2004/02/21
	1	"6324678").PN.		14:55
-	21		USPAT;	2004/02/21
		((((transmi\$5 or distribut\$5) near3	US-PGPUB;	14:55
		((compiler or compil\$4) adj2 (data or	EPO; JPO;	
		content or information or code))) same	DERWENT;	
		(encod\$4 or pack\$5 or compress\$4 or zip\$5)) and (@ad<=19991105 or	IBM_TDB	
		21p35)) and (ead<=19991105 or erlad<=19991105 or		
_	4	l -	USPAT;	2004/02/21
	1	"5933356" "6233540" "6324678").PN.)	US-PGPUB;	15:22
			EPO; JPO;	= =
			DERWENT;	
			IBM_TDB	
-	3	1 ' '	USPĀT;	2004/02/21
		"5357631" "5495610" "5530645"	US-PGPUB;	14:59
		"5574906" "5715454" "5761499"	EPO; JPO;	
		"5813017" "5832520" "5845077"	DERWENT;	
		"5884014" "5903897" "5905896"	IBM_TDB	
		"5991713" "5999949" "6011905"		
		"6012063" "6018747").PN.) and ((differential or delta)near2 encod\$4)		
_	461	((Huffman and run-length) near2 encod\$4)	USPAT;	2004/02/21
	""		US-PGPUB;	15:07
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	

_	47	((Huffman and Lempel) near2 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/21 15:40
-	1	(((Huffman and Lempel) near2 encod\$4)) and (@ad<=19991105 or @rlad<=19991105) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/21 15:17
_	13	("5045852" "5463746" "5680600" "5703907" "5729228" "5764994" "5878267" "5943421" "5945933" "5946489" "6005503" "6121903" "6125201").PN.	USPĀT	2004/02/21 15:10
-	32) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:17
-	22	encod\$4)) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4) and (@ad<=19991105 or @rlad<=19991105) and compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:17
-	21	(compil\$4 and compress\$4) and (((((Huffman and run-length) near2 encod\$4)) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:41
-	13	((compil\$4 and compress\$4) and (((((Huffman and run-length) near2 encod\$4)) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4) and (@ad<=19991105 or @rlad<=19991105) and (symbol and encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:24
_		(((Huffman and Lempel) near2 encod\$4)) and entropy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/21 16:20
_		<pre>(compil\$4 and compress\$4) and (((Huffman and Lempel) near2 encod\$4)) and entropy)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:41
-	2	((((Huffman and Lempel) near2 encod\$4)) and entropy) and compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/21 16:20